



Master

HEAT GUN

FAST
HEAT
Up To **1000°F**

The handiest, quickest, safest way to get the quick instant heat needed for a thousand uses in the laboratory or for plant production. The Master Heat Gun delivers up to 1000° (F) without the dangers of open flame! Its many features include an adjustable air intake for controlling the air blast temperature; a double jacketed heater housing; a sturdy die-cast aluminum housing and an 8 ft. neoprene jacketed 3-wire cord and plug that is oil and grease resistant. Turbo type fan blade is efficient and quiet in operation. All models available for 115V or 230V operation. Shipping wt. 5 lbs.

MASTER APPLIANCE CORP., RACINE, WISC.




PLASTICS



TILE





AUTOMOTIVE




AIRCRAFT



GRAPHIC ARTS



AIR FLOW ADAPTER for MASTER HEAT GUN



ADAPTOR

BAFFLE PLATE

MASTER APPLIANCE CORPORATION
Post Office Box 545
1745 Flett Avenue
Racine, Wisconsin



PORTABLE TOOLS DIVISION
Cancels all Previous Schedules

HEAT GUN

PRICE SCHEDULE – CH-E164 A

EFFECTIVE – May 1, 1964

MODEL	VOLTAGE	AMP.	TEMP. F.°	PRICE
HG 201	115	5	200/300	\$ 40.25
HG 202	230	3	200/300	51.95
HG 301	115	12	300/500	40.25
HG 302	230	5	300/500	51.95
HG 501	115	14	500/750	45.35
HG 502	230	8	500/750	55.25
HG 751	115	20	750/1000	56.25
HG 752	230	9	750/1000	67.85

HEAT GUN ACCESSORIES

100	Adaptor	\$ 2.95
145	Baffle Plate (for tubing up to 3/4" O.D.)	2.75
150	Baffle Plate (for tubing up to 1-1/4" O.D.)	2.95

NOTE: All prices subject to change without notice and to any government ruling beyond our control. Orders will be invoiced at prices in effect at time of shipment.

TERMS: 2% 10, net 30 days to firms of approved credit.

F.O.B. Factory, Racine, Wisconsin.

SPECIFICATIONS – ALL MODELS


OVERALL HEIGHT 8 IN.	50/60 CYCLE – A.C. OR D.C.
NOZZLE AIR OPENING 1-5/32 DIA.	DELIVER 35 CFM AIR VOLUME
BASE PLATE, TRIANGLE, 5-3/4 PER SIDE.	AT 3000 FPM VELOCITY.
SHIPPING WEIGHT 5 LBS.	ALL 115V MODELS EQUIPPED WITH ADAPTOR
8 FT. LONG, NEOPRENE JACKETED, 3	FOR 2 PRONG RECEPTACLE.
WIRE GROUNDING TYPE CORD W/PLUG.	

HG 201, HG 301

NOZZLE 3 IN. LONG.
OVERALL LENGTH 10 IN.

ALL OTHER MODELS

NOZZLE 4 IN. LONG.
OVERALL LENGTH 11 IN.



Area 414 • Phone 633-7791

MASTER APPLIANCE CORPORATION

1745 Flett Ave.

Post Office Box 545

Racine, Wis. - 53403

September 3, 1964

Mr. T. Nelson, Sys. Engineer
Interlocking Sys. Company
Box 1546
Poughkeepsie, New York #12603

IN ANSWER TO YOUR REQUEST FOR INFORMATION ABOUT THE MASTER
FLAMELESS ELECTRIC BLOW TORCH

Enclosed are catalog pages illustrating and describing the MASTER HEAT GUNS which are designed for intermittent use while held in one hand or while mounted on the stand provided. The MASTER AIR HEATER BLOWERS are built to operate continuously all day long.

Specifications and prices of our products are listed on the reverse side of our catalog pages.

Industrial concerns and laboratories located all over the United States, and in many foreign countries, are finding that these dependable products are the perfect answer where ever quick heat, without open flame, is required.

We urge you to try a MASTER HEAT GUN (flameless blow torch) in your own plant, in an actual production situation. We are willing to sell you the product of your choice with the understanding that you may feel free to return it for credit, within ten days after it reaches you, providing it does not serve your purpose. Of course, we welcome the opportunity to answer any specific questions you may have about a specialized application involving our products.

We look forward to receiving your purchase order and assure you that shipment will be made promptly.

Very truly yours,

MASTER APPLIANCE CORPORATION

Norman R. Nielsen
Sales Promotion Manager

NRN:ls
Enclosure: